


5-Lobe Pin



5-Lobe Pin - Button Head Machine Screws - A4-70 Stainless Steel



Dimensions (mm)

SCREW TYPE 5-LOBE PIN	DIMENSIONS	METRIC MACHINE SCREWS				
		M3	M4	M5	M6	M8
BUTTON HEAD		5.7	7.6	9.5	10.5	14.0
	Ref	I 1.6	2.2	2.8	3.3	4.4

Material and Finish

Material: A4-70 Minimum Tensile Strength 700N/mm²
Heat Treatment: None
Finish: Passivated

Size & Part Numbers

LENGTH GAUGE	6 mm	8 mm	10 mm	12 mm	16 mm	20 mm	25 mm	30 mm	40 mm	50 mm	DRIVER SIZE
	M3	FLPBM 0306-A4			FLPBM 0312-A4						
M4		FLPBM 0408-A4	FLPBM 0410-A4	FLPBM 0412-A4	FLPBM 0416-A4	FLPBM 0420-A4	FLPBM 0425-A4				T20
M5			FLPBM 0510-A4	FLPBM 0512-A4	FLPBM 0516-A4	FLPBM 0520-A4	FLPBM 0525-A4	FLPBM 0530-A4	FLPBM 0540-A4		T25
M6				FLPBM 0612-A4	FLPBM 0616-A4	FLPBM 0620-A4	FLPBM 0625-A4	FLPBM 0630-A4	FLPBM 0640-A4	FLPBM 0650-A4	T30
M8						FLPBM 0820-A4		FLPBM 0830-A4	FLPBM 0840-A4	FLPBM 0850-A4	T40

Additional Information

Patented Product: Hafren Fasteners
Installation: 5-Lobe Pin - see video
Removal: 2-Way Removable Screw

- ✓ High torque drive
- ✓ 5-Lobe with Pin design
- ✓ A4-70 Stainless Steel
- ✓ Button and Countersunk Head
- ✓ Metric Machine Screws and Self Tapping Screws

→

Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.