





5-Lobe Pin



5-Lobe Pin - Countersunk Head Machine Screws - A4-70 Stainless Steel



Dimensions (mm)

 SCREW TYPE 5-LOBE PIN		METRIC MACHINE SCREWS				
		M3	M4	M5	M6	M8
COUNTERSUNK HEAD		5.8	8.0	10.0	12.0	16.0
	 Ref	I 1.7	2.3	2.8	3.3	4.4

Material and Finish


Material: A4-70 Minimum Tensile Strength 700N/mm²
Heat Treatment: None
Finish: Passivated

Size & Part Numbers

GAUGE	LENGTH										DRIVER SIZE
	6 mm	8 mm	10 mm	12 mm	16 mm	20 mm	25 mm	30 mm	40 mm		
M3	FLPCM 0306-A4		FLPCM 0310-A4								T10
M4		FLPCM 0408-A4	FLPCM 0410-A4	FLPCM 0412-A4	FLPCM 0416-A4	FLPCM 0420-A4	FLPCM 0425-A4				T20
M5		FLPCM 0506-A4	FLPCM 0510-A4	FLPCM 0512-A4	FLPCM 0516-A4	FLPCM 0520-A4	FLPCM 0525-A4	FLPCM 0530-A4	FLPCM 0540-A4		T25
M6				FLPCM 0612-A4	FLPCM 0616-A4	FLPCM 0620-A4	FLPCM 0625-A4	FLPCM 0630-A4	FLPCM 0640-A4		T30
M8						FLPCM 0820-A4			FLPCM 0840-A4		T40



Additional Information

Patented Product: Hafren Fasteners
Installation: 5-Lobe Pin - see video
Removal: 2-Way Removable Screw



5-Lobe Pin

- ✓ High torque drive
- ✓ 5-Lobe with Pin design
- ✓ A4-70 Stainless Steel
- ✓ Button and Countersunk Head
- ✓ Metric Machine Screws and Self Tapping Screws

Every effort has been made to ensure the accuracy of information provided in this catalogue. Hafren Fasteners cannot warrant the information however, expressly or implied, and any liability arising from it is expressly excluded. Customers must satisfy themselves as to the suitability of products and the technical information relating to them, and it is recommended that you conduct your own tests to establish suitability. All sizes shown are in mm without min and max tolerances and are guide sizes. Hafren Fasteners reserve the right to change/alter sizes without notice. This does not effect your statutory rights.